## **ADDENDA AND CLARIFICATIONS TO**

## <u>Library 21c – Turf Conversion and Irrigation Modifications RFP# 490-23-01-21c</u> <u>Pikes Peak Library District, Colorado Springs, CO</u> <u>SUBMITTAL FORM</u> <u>March 28, 2023</u>

CONTR	RACTOR:	
MAILI	NG ADDRESS:	
EMAIL	.:	
PHONE	E:	
SIGNA	TURE:	
ADDE	NDA ITEMS for BASE BID	
1.	Road Curb treatment: remove approx. 1,000 l.f. x 4' of existing turf/weeds between	<u>curbs</u>
	and sidewalks at Jamboree and Chapel Hills Drives. Replace with landscape fabric	<u>under</u>
	4-8" river rock \$	.00
2.	Juniper removal – approx. 175 l.f. west side. Replace with landscape fabric under 4-	-8"
	river rock:	.00
3.	Irrigation Zones 9, 11, 13 – relocation of heads to other side of sidewalk: Need for the	<u>nis</u>

## **CLARIFICATIONS:**

1. Sheet L-1 – Irrigation Zones Revisions Summary: Zone 1: Change Proposed Plant Material from "Native Grass – seeded" to "Existing grass to remain."

item will be determined in field in conjunction with CS Utilities guidance: \$

.00

- 2. Seed Application rate: all varieties of seed shall be applied at 3lb./1,000 s.f. to insure significant initial coverage.
- 3. Bluegrass resodding: replacement as needed if damaged with construction activities or in poor health.
- 4. If irrigation retrofit alternatives are recommended, bidder may suggest these and an alternative pricing on a separate page.
- 5. Irrigation Zone 5: bid as shown on plan (conceptual diagram). If alternative layout is more effective

## ADDENDA AND CLARIFICATIONS - 21C Library turf conversion, PPLD March 28, 2023

- as project is installed, this can be discussed and adjusted (with change order if necessary) on site.
- 6. Irrigation Zones 9, 11, and 13 along Jamboree Drive head overspray from curb onto grass slope: relocation of heads to other side of sidewalk will be determined upon recommendations from CS Utilities and CS Parks representatives. See Addendum #3 above.
- 7. Irrigation Zones 6, 8, and 9 at corner of Chapels Hills and Jamboree: Upon review of existing irrigation system, if CS Utilities representative recommends changes to grass species coverage and or relocation of heads to create a more efficient irrigation system, a change order will be issued if necessary.